CiteSeer Find: buffered coscheduling

Documents

Citations

Searching for PHRASE buffered coscheduling.

Restrict to: <u>Header Title</u> Order by: <u>Expected citations</u> <u>Hubs</u> <u>Usage</u> <u>Date</u> Try: <u>Google (CiteSeer)</u> <u>Google (Web)</u>

Yahoo! MSN CSB DBLP

5 documents found. Order: number of citations.

Buffered Coscheduling: A New Methodology for Multitasking.. - Petrini, Feng (2000) (Correct) (5 citations)

Buffered Coscheduling: A New Methodology for Multitasking

University W. Lafayette, IN 47907 Abstract Buffered coscheduling is a scheduling methodology for

public.lanl.gov/feng/research/bcs/ipdps00.ps

Scheduling with Global Information in Distributed Systems - Petrini, Feng (2000) (Correct) (2 citations) University W. Lafayette, IN 47907 Abstract Buffered coscheduling is a distributed scheduling methodology processors. In this paper, we describe how buffered coscheduling is implemented in the context of our public.lanl.gov/feng/research/bcs/icdcs00.ps

Chaotic Cryptography in Digital World: State-of-the-Art, Problems.. - Li (Correct) www.compscipreprints.com/comp/Preprint/hooklee/20030122/1/DCC.pdf

Scheduler Testbed System Design - Frachtenberg, Petrini (Correct)

Coscheduling .7 2.3 Buffered Coscheduling .8 2.3.1

algorithms we intend to implement: buffered coscheduling BCS)flexible coscheduling (FCS)

www.cs.huji.ac.il/~etcs/pubs/papers/design.pdf

Efficient Scheduling of Parallel Jobs on Massively Parallel.. - Fabrizio Petrini And (Correct) Lafayette, IN 47907 Abstract We present buffered coscheduling, a new methodology to multitask parallel of a distributed operating system. Buffered coscheduling is based on three innovative techniques: public.lanl.gov/feng/research/bcs/adcom99.ps

Try your query at: Google (CiteSeer) Google (Web) Yahoo! MSN CSB DBLP

CiteSeer.IST - Copyright Penn State and NEC

| Ref<br># | Hits | Search Query   | DBs   | Default<br>Operator | Plurals | Time Stamp       |
|----------|------|--|---|---------------------|---------|------------------|
| L1       | 4    | (718/102.ccls. 712/10-19.ccls. 713/502,600.ccls.) and parallel and (inform\$3 or notif\$4 or broadcast or communicat\$3 or send\$3 or sent) with (cpu or processor) with ((incom\$3 adj job) or workload) and ((@ad<"20000630") or (@prad<"20000630") or (@rlad<"20000630")) | US-PGPUB;<br>USPAT;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB | OR                  | ON      | 2005/10/14 13:12 |
| S84      | 3    | (inform\$3 or notif\$4 or broadcast or communicat\$3 or send\$3 or sent) with (cpu or processor) with (amount or number or load or (incom\$3 adj job) or workload) near4 (next with interval) and ((@ad<"20000630") or (@prad<"20000630") or (@rlad<"20000630"))             | US-PGPUB;<br>USPAT;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB | OR                  | ON      | 2005/06/06 10:38 |
| S85      | 3    | parallel adj scheduling adj<br>algorithm   | US-PGPUB;<br>USPAT;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB | OR                  | ON      | 2005/06/06 10:25 |
| S86-     | 13   | parallel near2 scheduling near3 algorithm  | US-PGPUB;<br>USPAT;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB | OR                  | ON      | 2005/06/06 10:25 |
| S87      | 7    | (parallel near2 scheduling near3 algorithm) and buffer   | US-PGPUB;<br>USPAT;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB | OR                  | ON      | 2005/06/06 10:25 |
| S89      | 38   | (gang adj scheduling or local adj<br>scheduling or dynamic adj<br>coscheduling) and buffer   | US-PGPUB;<br>USPAT;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB | OR                  | ON      | 2005/06/06 10:25 |
| S90      | 14   | (parallel near (computing or<br>scheduling or processing)) same<br>((buffer or (temporar\$3 near2<br>stor\$3)) near ((control adj<br>information) or job or task or<br>communication))   | US-PGPUB;<br>USPAT;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB | OR'                 | ON      | 2005/06/06 10:25 |

| S91 | 53 | (parallel near (computing or<br>scheduling or processing)) same<br>((buffer or stor\$3 or (temporar\$3<br>near2 stor\$3)) near ((control adj<br>information) or job or task or<br>communication))  | US-PGPUB;<br>USPAT;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB | OR . | ON | 2005/06/06 10:25 |
|-----|----|--|---|------|----|------------------|
| S92 | 39 | ((parallel near (computing or scheduling or processing)) same ((buffer or stor\$3 or (temporar\$3 near2 stor\$3)) near ((control adjinformation) or job or task or communication))) not ((parallel near (computing or scheduling or processing)) same ((buffer or (temporar\$3 near2 stor\$3)) near ((control adj information) or job or task or communication)))  | US-PGPUB;<br>USPAT;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB | OR   | ON | 2005/06/06 10:25 |
| S93 | 84 | ((((parallel near (computing or scheduling or processing or machine)) or distributed adj system) same ((buffer or stor\$3 or (temporar\$3 near2 stor\$3)) near ((control adj information) or job or task or communication))) not ((parallel near (computing or scheduling or processing)) same ((buffer or (temporar\$3 near2 stor\$3)) near ((control adj information) or job or task or communication)))) not ((gang adj scheduling or local adj scheduling or dynamic adj coscheduling) and buffer) | US-PGPUB;<br>USPAT;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB | OR   | ON | 2005/06/06 10:25 |
| S94 |    | "5781775".pn.  | US-PGPUB;<br>USPAT;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB | OR   | ON | 2005/06/06 10:25 |
| S95 | 19 | ((parallel near2 processor) or<br>(distributed near2 processors))<br>same (period or interval or clock<br>or (time adj (slice or frame))) with<br>((interchange or exchange or<br>communicat\$5 or inform\$4 or<br>broadcast\$5) with (status or<br>information))  | US-PGPUB;<br>USPAT;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB | OR   | ON | 2005/06/06 10:25 |
| S96 | 16 | ((parallel near2 \$6processor) or (distributed near2 processors)) same (period or interval or clock or (time adj (slice or frame))) with ((interchange or exchange or communicat\$5 or inform\$4 or broadcast\$5) with (status or information))  | US-PGPUB;<br>USPAT;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB | OR   | ON | 2005/06/06 10:25 |

| S97      | 1  | (coscheduling or co?scheduling) same (interchange or exchange or communicat\$5 or inform\$4 or broadcast\$5 or status or information)  | US-PGPUB;<br>USPAT;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB | OR | ON | 2005/06/06 10:25 |
|----------|----|--|---|----|----|------------------|
| S98      | 14 | ousterhout.in.   | US-PGPUB;<br>USPAT;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB | OR | ON | 2005/06/06 10:25 |
| S99      |    | (parallel or (multi\$processor with multiprogram\$3) or distributed) near2 (computing or scheduling or process\$4 or application) same (interven\$6 or period or interval or (time adj (slice or frame))) same ((interchange or exchange or communicat\$5 or inform\$4 or broadcast\$5) with (control adj information))  | US-PGPUB;<br>USPAT;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB | OR | ON | 2005/06/06 10:25 |
| S10<br>3 | 44 | ((parallel or (multi\$processor with multiprogram\$3) or distributed) near2 (computing or scheduling or process\$4 or application) same (interven\$6 or interval or (time adj (slice or frame or period))) same ((interchange or exchange or communicat\$5 or inform\$4 or broadcast\$5 or synchroniz\$5) with (status or (control near2 information) or activit\$4))) and @ay<"2001"  | US-PGPUB;<br>USPAT;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB | OR | ON | 2005/06/06 10:25 |
| S10<br>5 | 64 | (((parallel or (multi\$processor with multiprogram\$3) or distributed) near2 (computing or scheduling or process\$4 or application) with ((interchange or exchange or communicat\$5 or inform\$4 or broadcast\$5 or synchroniz\$5) near2 (status or (control near2 information) or activit\$4))) and @ay<"2001") not (((parallel or (multi\$processor with multiprogram\$3) or distributed) near2 (computing or scheduling or process\$4 or application) same (interven\$6 or interval or (time adj (slice or frame or period))) same ((interchange or exchange or communicat\$5 or inform\$4 or broadcast\$5 or synchroniz\$5) with (status or (control near2 information) or activit\$4))) and @ay<"2001") | US-PGPUB;<br>USPAT;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB | OR | ON | 2005/06/06 10:25 |

| S10<br>6 |    | (((parallel or (multi\$processor with multiprogram\$3) or distributed) near2 (computing or scheduling or process\$4 or application) with (interprocess adj communicat\$5))) not ((((parallel or (multi\$processor with multiprogram\$3) or distributed) near2 (computing or scheduling or process\$4 or application) with ((interchange or exchange or communicat\$5 or inform\$4 or broadcast\$5 or synchroniz\$5) near2 (status or (control near2 information) or activit\$4))) and @ay<"2001") not (((parallel or (multi\$processor with multiprogram\$3) or distributed) near2 (computing or scheduling or process\$4 or application) same (interven\$6 or interval or (time adj (slice or frame or period))) same ((interchange or exchange or communicat\$5 or inform\$4 or broadcast\$5 or synchroniz\$5) with (status or (control near2 information) or activit\$4))) and | US-PGPUB;<br>USPAT;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB | OR | ON | 2005/06/06 10:25 |
|----------|----|---|---|----|----|------------------|
| S10<br>7 | 51 | @ay<"2001"))  ((parallel or (multi\$processor with multiprogram\$3) or distributed) near2 (computing or scheduling or process\$4 or application) same ((accumulat\$5 or buffer\$2) near3 ((interprocess adj communicat\$6) or status or (control near2 information) or activit\$4)))  | US-PGPUB;<br>USPAT;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB | OR | ON | 2005/06/06 10:25 |
| S10<br>8 | 4  | ((parallel or (multi\$processor with multiprogram\$3) or distributed) near2 (computing or scheduling or process\$4 or application) same ((accumulat\$5 or buffer\$2 or collect or store or burst) near3 ((interprocess adj communicat\$6) or status or (control near2 information) or activit\$4))) same (interven\$6 or interval or (time adj (slice or frame or period)))   | US-PGPUB;<br>USPAT;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB | OR | ON | 2005/06/06 10:25 |

| S10<br>9 | . 21 | ((parallel or (multi\$processor with multiprogram\$3) or distributed) near2 (computing or scheduling or process\$4 or application) same ((accumulat\$5 or buffer\$2 or collect or store or burst) near3 ((interprocess adj communicat\$6) or status or (control near2 information) or activit\$4))) same (interchange or exchange or communicat\$5 or broadcast\$5) and @ay<"2001"  | US-PGPUB;<br>USPAT;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB | OR   | ON  | 2005/06/06 10:25 |
|----------|------|---|---|------|-----|------------------|
| S11<br>0 | 68   | ((((parallel or (multi\$processor with multiprogram\$3) or distributed) near2 (computing or scheduling or process\$4)) and ((accumulat\$5 or buffer\$2 or collect) near3 ((inter\$process adj communicat\$6) or status or (control near2 information))) with (interchange or exchange or communicat\$5 or broadcast\$5)) not (((parallel or (multi\$processor with multiprogram\$3) or distributed) near2 (computing or scheduling or process\$4 or application) same ((accumulat\$5 or buffer\$2 or collect or store or burst) near3 ((interprocess adj communicat\$6) or status or (control near2 information) or activit\$4))) same (interchange or exchange or communicat\$5 or broadcast\$5) and @ay<"2001")) and @ay<"2001" | US-PGPUB;<br>USPAT;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB | OR   | ON  | 2005/06/06 10:25 |
| S11<br>4 | 17   | ("3226688"   "3651473"   "3787818"   "4051551"   "4253146"   "4365292"   "4400768"   "4412286"   "4412303"   "4413315"   "4435758"   "4484262"   "4514807"   "4591977"   "4707781"   "4731724"   "4855903").PN.   | USPAT   | OR . | OFF | 2005/06/06 10:25 |
| S11<br>5 | 71   | "5056000".URPN.   | USPAT   | ÖR   | OFF | 2005/06/06 10:25 |

| S11<br>7 | 37 | (parallel or (multi\$processor with multiprogram\$3) or distributed) near2 (computing or scheduling or process\$4 or application) same (interven\$6 or interval or (time adj (slice or frame or period))) same ((process\$2 near2 communicat\$4) or (inter\$process adj communicat\$4)) | US-PGPUB;<br>USPAT;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB | OR  | ON      | 2005/06/06 14:02 |
|----------|----|---|---|-----|---------|------------------|
| S11<br>8 | 23 | accumulat\$4 near2 ((process\$2 near2 communicat\$4) or message or (inter\$process adj communicat\$4)) same (parallel or (multi\$processor with multiprogram\$3) or distributed) near2 (computing or scheduling or process\$4 or application)   | US-PGPUB;<br>USPAT;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB | OR  | ON<br>, | 2005/06/06 10:25 |
| S11<br>9 | 43 | (coscheduling or co?scheduling)   | US-PGPUB;<br>USPAT;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB | OR  | ON      | 2005/06/06 10:25 |
| S12<br>3 | 1  | "20020083116"   | US-PGPUB  | OR  | OFF     | 2005/06/06 10:25 |
| S12<br>4 | 26 | processor same time near2 (interval or cycle or period or slot) with (exchang\$3 or process or send\$3 or sent) near2 ((information or data or command or message) near4 (accumulat\$3 or buffer\$3 or queu\$3)) and ((@ad<"20000630") or (@prad<"20000630"))                           | US-PGPUB;<br>USPAT;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB | OR  | ON      | 2005/06/06 10:25 |
| S12<br>5 | 53 | (parallel or (multi\$processor with<br>multiprogram\$3) or distributed)<br>near2 (computing or scheduling or<br>process\$4 or application) and<br>((inform\$3 or notif\$4) with<br>(incom\$3 adj (jobs or messages)))   | US-PGPUB;<br>USPAT;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB | OR  | ON      | 2005/06/06 10:25 |
| S12<br>6 | 40 | (parallel or (multi\$processor with multiprogram\$3) or distributed) near2 (computing or scheduling or process\$4 or application) and ((inform\$3 or notif\$4) with (incom\$3 adj (jobs or messages))) and ((@ad<"20000630") or (@prad<"20000630") or (@rlad<"20000630"))               | US-PGPUB;<br>USPAT;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB | OR· | ON      | 2005/06/06 10:25 |

| S12<br>8 | 3  | (inform\$3 or notif\$4 or broadcast or communicat\$3 or send\$3 or sent) with (cpu or processor) with (amount or number or load or (incom\$3 adj job)) near4 (next with interval) and ((@ad<"20000630") or (@prad<"20000630") or (@rlad<"20000630")) | US-PGPUB;<br>USPAT;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB | OR | NO | 2005/06/06 10:25 |
|----------|----|--|---|----|----|------------------|
| S12<br>9 | 4  | (coscheduling or co?scheduling) with dynamic   | US-PGPUB;<br>USPAT;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB | OR | ON | 2005/06/06 12:43 |
| S13<br>1 | 3  | (inform\$3 or notif\$4 or broadcast or communicat\$3 or send\$3 or sent) with (cpu or processor) with ((incom\$3 adj job) or workload) with (interval or cycle or slot of period) and ((@ad<"20000630") or (@prad<"20000630") or (@rlad<"20000630")) | US-PGPUB;<br>USPAT;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB | OR | ON | 2005/06/06 16:19 |
| S13<br>2 | 7  | (coscheduling or co?scheduling or (parallel near schedul\$3)) with dynamic   | US-PGPUB;<br>USPAT;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB | OR | ON | 2005/06/06 13:11 |
| S13<br>4 | 63 | parallel and (inform\$3 or notif\$4 or broadcast or communicat\$3 or send\$3 or sent) with (cpu or processor) with ((incom\$3 adj job) or workload) and ((@ad<"20000630") or (@prad<"20000630") or (@rlad<"20000630"))                               | US-PGPUB;<br>USPAT;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB | OR | ON | 2005/06/06 15:00 |
| S13<br>6 | 1  | (coscheduling or co?scheduling or (parallel near schedul\$3)) with (dynamic or implicit) and DCS   | US-PGPUB;<br>USPAT;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB | OR | ON | 2005/06/06 16:57 |
| S13<br>7 | 54 | (parallel or multi\$processor or distributed) near2 (computing or scheduling or process\$4) same (interval or (time adj (slice or frame or period))) near5 (synchroniz\$6 or ((global dynamic implicit) adj schedul\$4 co\$1schedul\$4))             | US-PGPUB;<br>USPAT;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB | OR | ON | 2005/06/06 14:14 |

|          | ····· |  | T   | r    | 1  |                  |
|----------|-------|--|---|------|----|------------------|
| S13<br>8 | 43    | (parallel or multi\$processor or distributed) near2 (computing or scheduling or process\$4) same (interval or (time adj (slice or frame or period))) near5 (synchroniz\$6 or ((global dynamic implicit) adj schedul\$4 co\$1schedul\$4)) and ((@ad<"20000630") or (@prad<"20000630") or (@rlad<"20000630"))              | US-PGPUB;<br>USPAT;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB | OR   | ON | 2005/06/06 14:55 |
| S13<br>9 | 1     | (parallel or multi\$processor or distributed) near2 (computing or scheduling or process\$4) same (interval or (time adj (slice or frame or period))) near5 (synchroniz\$6 or ((global dynamic implicit) adj schedul\$4 co\$1schedul\$4)) and workload and ((@ad<"20000630") or (@prad<"20000630") or (@rlad<"20000630")) | US-PGPUB;<br>USPAT;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB | OR   | ON | 2005/06/06 14:56 |
| S14<br>4 | 17    | (parallel or multi\$processor or distributed) near2 (computing or scheduling or process\$4) with (control or command) near4 (interval or period or frame) with (buffer\$3 or accumulat\$3) and ((@ad<"20000630") or (@prad<"20000630") or (@rlad<"20000630"))  | US-PGPUB;<br>USPAT;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB | OR . | ON | 2005/06/06 16:58 |
| S14<br>6 | 2     | (coscheduling or co?scheduling or<br>(parallel near schedul\$3)) near3<br>(dynamic or implicit)  | US-PGPUB;<br>USPAT;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB | OR   | ON | 2005/06/06 16:57 |
| S14<br>8 | 3     | (parallel or multi\$processor or distributed) near2 (computing or scheduling or process\$4) and (coscheduling or co?scheduling) with (dynamic or implicit) and ((@ad<"20000630") or (@prad<"20000630") or (@rlad<"20000630"))  | US-PGPUB;<br>USPAT;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB | OR   | ON | 2005/10/13 13:27 |
| S14<br>9 | 6     | synchroniz\$4 near4 processors same load near balanc\$3  | US-PGPUB;<br>USPAT;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB | OR   | ON | 2005/06/07 14:35 |

| S15<br>0 | 2  | systolic adj array with interval   | US-PGPUB;<br>USPAT;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB | OR  | ON  | 2005/06/08 13:20 |
|----------|----|--|---|-----|-----|------------------|
| S15<br>1 | 10 | systolic adj array same interval   | US-PGPUB;<br>USPAT;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB | OR  | ON  | 2005/06/08 13:20 |
| S15<br>7 | 3  | (inform\$3 or notif\$4 or broadcast or communicat\$3 or send\$3 or sent) with (cpu or processor) with (amount or number or load or (incom\$3 adj job) or workload) near4 (next with interval) and ((@ad<"20000630") or (@prad<"20000630") or (@rlad<"20000630"))     | US-PGPUB;<br>USPAT;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB | OR  | ON  | 2005/10/14 09:52 |
| S15<br>8 | 56 | (parallel near (computing or<br>scheduling or processing)) same<br>((buffer or stor\$3 or (temporar\$3<br>near2 stor\$3)) near ((control adj<br>information) or job or task or<br>communication))  | US-PGPUB;<br>USPAT;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB | OR  | ON  | 2005/10/14 09:52 |
| S15<br>9 | 16 | ((parallel near2 \$6processor) or<br>(distributed near2 processors))<br>same (period or interval or clock<br>or (time adj (slice or frame))) with<br>((interchange or exchange or<br>communicat\$5 or inform\$4 or<br>broadcast\$5) with (status or<br>information)) | US-PGPUB;<br>USPAT;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB | OR  | ON  | 2005/10/14 09:52 |
| S16<br>0 | 2  | (coscheduling or co?scheduling) same (interchange or exchange or communicat\$5 or inform\$4 or broadcast\$5 or status or information)  | US-PGPUB;<br>USPAT;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB | OR  | ON  | 2005/10/14 09:52 |
| S16<br>1 | 57 | (parallel or (multi\$processor with<br>multiprogram\$3) or distributed)<br>near2 (computing or scheduling or<br>process\$4 or application) and<br>((inform\$3 or notif\$4) with<br>(incom\$3 adj (jobs or messages)))  | US-PGPUB;<br>USPAT;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB | OR  | ON  | 2005/10/14 09:52 |
| S16<br>2 | 1  | "20020083116"  | US-PGPUB  | OR: | OFF | 2005/10/14 09:52 |
| S16<br>3 | 3  | parallel adj scheduling adj<br>algorithm   | US-PGPUB;<br>USPAT;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB | OR  | ON  | 2005/10/14 09:52 |

| S16<br>4 | 14 | parallel near2 scheduling near3 algorithm   | US-PGPUB;<br>USPAT;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB | OR | ON | 2005/10/14 09:52 |
|----------|----|---|---|----|----|------------------|
| S16<br>5 | 7  | (parallel near2 scheduling near3 algorithm) and buffer  | US-PGPUB;<br>USPAT;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB | OR | ON | 2005/10/14 09:52 |
| S16<br>6 | 41 | (gang adj scheduling or local adj<br>scheduling or dynamic adj<br>coscheduling) and buffer  | US-PGPUB;<br>USPAT;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB | OR | ON | 2005/10/14 09:52 |
| S16<br>7 | 14 | (parallel near (computing or<br>scheduling or processing)) same<br>((buffer or (temporar\$3 near2<br>stor\$3)) near ((control adj<br>information) or job or task or<br>communication))  | US-PGPUB;<br>USPAT;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB | OR | ON | 2005/10/14 09:52 |
| S16<br>8 | 42 | ((parallel near (computing or<br>scheduling or processing)) same<br>((buffer or stor\$3 or (temporar\$3<br>near2 stor\$3)) near ((control adj<br>information) or job or task or<br>communication))) not ((parallel<br>near (computing or scheduling or<br>processing)) same ((buffer or<br>(temporar\$3 near2 stor\$3)) near<br>((control adj information) or job or<br>task or communication)))  | US-PGPUB;<br>USPAT;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB | OR | ON | 2005/10/14 09:52 |
| S16<br>9 | 90 | ((((parallel near (computing or scheduling or processing or machine)) or distributed adj system) same ((buffer or stor\$3 or (temporar\$3 near2 stor\$3)) near ((control adj information) or job or task or communication))) not ((parallel near (computing or scheduling or processing)) same ((buffer or (temporar\$3 near2 stor\$3)) near ((control adj information) or job or task or communication)))) not ((gang adj scheduling or local adj scheduling or dynamic adj coscheduling) and buffer ) | US-PGPUB;<br>USPAT;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB | OR | ON | 2005/10/14 09:52 |
| S17<br>0 | 2  | "5781775".pn.   | US-PGPUB;<br>USPAT;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB | OR | ON | 2005/10/14 09:52 |

| S17<br>1 | 19 | ((parallel near2 processor) or<br>(distributed near2 processors))<br>same (period or interval or clock<br>or (time adj (slice or frame))) with<br>((interchange or exchange or<br>communicat\$5 or inform\$4 or<br>broadcast\$5) with (status or<br>information))   | US-PGPUB;<br>USPAT;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB | OR | ON | 2005/10/14 09:52 |
|----------|----|---|---|----|----|------------------|
| S17<br>2 | 14 | ousterhout.in.  | US-PGPUB;<br>USPAT;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB | OR | ON | 2005/10/14 09:52 |
| S17<br>3 | 5  | (parallel or (multi\$processor with multiprogram\$3) or distributed) near2 (computing or scheduling or process\$4 or application) same (interven\$6 or period or interval or (time adj (slice or frame))) same ((interchange or exchange or communicat\$5 or inform\$4 or broadcast\$5) with (control adj information))   | US-PGPUB;<br>USPAT;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB | OR | ON | 2005/10/14 09:52 |
| S17<br>4 | 46 | ((parallel or (multi\$processor with multiprogram\$3) or distributed) near2 (computing or scheduling or process\$4 or application) same (interven\$6 or interval or (time adj (slice or frame or period))) same ((interchange or exchange or communicat\$5 or inform\$4 or broadcast\$5 or synchroniz\$5) with (status or (control near2 information) or activit\$4))) and @ay<"2001" | US-PGPUB;<br>USPAT;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB | OR | ON | 2005/10/14 09:52 |

| S17<br>5 | 66 | (((parallel or (multi\$processor with multiprogram\$3) or distributed) near2 (computing or scheduling or process\$4 or application) with ((interchange or exchange or communicat\$5 or inform\$4 or broadcast\$5 or synchroniz\$5) near2 (status or (control near2 information) or activit\$4))) and @ay<"2001") not (((parallel or (multi\$processor with multiprogram\$3) or distributed) near2 (computing or scheduling or process\$4 or application) same (interven\$6 or interval or (time adj (slice or frame or period))) same   | US-PGPUB;<br>USPAT;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB | OR | ON | 2005/10/14 09:52 |
|----------|----|---|---|----|----|------------------|
| S17      | 88 | ((interchange or exchange or communicat\$5 or inform\$4 or broadcast\$5 or synchroniz\$5) with (status or (control near2 information) or activit\$4))) and @ay<"2001") (((parallel or (multi\$processor with  | US-PGPUB;   | OR | ON | 2005/10/14 09:52 |
| 6        |    | multiprogram\$3) or distributed) near2 (computing or scheduling or process\$4 or application) with (interprocess adj communicat\$5))) not ((((parallel or (multi\$processor with multiprogram\$3) or distributed) near2 (computing or scheduling or process\$4 or application) with ((interchange or exchange or communicat\$5 or inform\$4 or broadcast\$5 or synchroniz\$5) near2 (status or (control near2 information) or activit\$4))) and @ay<"2001") not (((parallel or (multi\$processor with multiprogram\$3) or distributed) near2 (computing or scheduling or process\$4 or application) same (interven\$6 or interval or (time adj (slice or frame or period))) same ((interchange or exchange or | USPAT;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB              |    |    |                  |
|          |    | ((Interchange or exchange or<br>communicat\$5 or inform\$4 or<br>broadcast\$5 or synchroniz\$5) with<br>(status or (control near2<br>information) or activit\$4))) and<br>@ay<"2001"))  |   |    |    |                  |

| S17<br>7 | 55 | ((parallel or (multi\$processor with<br>multiprogram\$3) or distributed)<br>near2 (computing or scheduling or<br>process\$4 or application) same<br>((accumulat\$5 or buffer\$2) near3<br>((interprocess adj communicat\$6)<br>or status or (control near2<br>information) or activit\$4)))  | US-PGPUB;<br>USPAT;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB | OR | ON  | 2005/10/14 09:52 |
|----------|----|--|---|----|-----|------------------|
| S17<br>8 | 4  | ((parallel or (multi\$processor with multiprogram\$3) or distributed) near2 (computing or scheduling or process\$4 or application) same ((accumulat\$5 or buffer\$2 or collect or store or burst) near3 ((interprocess adj communicat\$6) or status or (control near2 information) or activit\$4))) same (interven\$6 or interval or (time adj (slice or frame or period)))        | US-PGPUB;<br>USPAT;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB | OR | ON  | 2005/10/14 09:52 |
| S17<br>9 | 21 | ((parallel or (multi\$processor with multiprogram\$3) or distributed) near2 (computing or scheduling or process\$4 or application) same ((accumulat\$5 or buffer\$2 or collect or store or burst) near3 ((interprocess adj communicat\$6) or status or (control near2 information) or activit\$4))) same (interchange or exchange or communicat\$5 or broadcast\$5) and @ay<"2001" | US-PGPUB;<br>USPAT;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB | OR | ON  | 2005/10/14 09:52 |
| S18<br>0 | 17 | ("3226688"   "3651473"   "3787818"   "4051551"   "4253146"   "4365292"   "4400768"   "4412286"   "4412303"   "4413315"   "4435758"   "4484262"   "4514807"   "4591977"   "4707781"   "4731724"   "4855903").PN.  | USPAT   | ÖR | OFF | 2005/10/14 09:52 |
| S18      | 72 | "5056000".URPN.  | USPAT   | OR | ÒFF | 2005/10/14 09:52 |
| S18<br>2 | 41 | (parallel or (multi\$processor with<br>multiprogram\$3) or distributed)<br>near2 (computing or scheduling or<br>process\$4 or application) same<br>(interven\$6 or interval or (time adj<br>(slice or frame or period))) same<br>((process\$2 near2 communicat\$4)<br>or (inter\$process adj<br>communicat\$4))  | US-PGPUB;<br>USPAT;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB | OR | ON  | 2005/10/14 09:52 |

| S18<br>3 | 23             | accumulat\$4 near2 ((process\$2 near2 communicat\$4) or message or (inter\$process adj communicat\$4)) same (parallel or (multi\$processor with multiprogram\$3) or distributed) near2 (computing or scheduling or process\$4 or application)                                       | US-PGPUB;<br>USPAT;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB | OR | ON | 2005/10/14 09:52 |
|----------|----------------|---|---|----|----|------------------|
| S18<br>4 | 47             | (coscheduling or co?scheduling)   | US-PGPUB;<br>USPAT;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB | OR | ON | 2005/10/14 09:52 |
| S18<br>5 | 27             | processor same time near2 (interval or cycle or period or slot) with (exchang\$3 or process or send\$3 or sent) near2 ((information or data or command or message) near4 (accumulat\$3 or buffer\$3 or queu\$3)) and ((@ad<"20000630") or (@prad<"20000630") or (@rlad<"20000630")) | US-PGPUB;<br>USPAT;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB | OR | ON | 2005/10/14 09:52 |
| S18<br>6 | <del>4</del> 0 | (parallel or (multi\$processor with multiprogram\$3) or distributed) near2 (computing or scheduling or process\$4 or application) and ((inform\$3 or notif\$4) with (incom\$3 adj (jobs or messages))) and ((@ad<"20000630") or (@prad<"20000630") or (@rlad<"20000630"))           | US-PGPUB;<br>USPAT;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB | OR | ON | 2005/10/14 09:52 |
| S18<br>7 | 3              | (inform\$3 or notif\$4 or broadcast or communicat\$3 or send\$3 or sent) with (cpu or processor) with (amount or number or load or (incom\$3 adj job)) near4 (next with interval) and ((@ad<"20000630") or (@prad<"20000630") or (@rlad<"20000630"))                                | US-PGPUB;<br>USPAT;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB | OR | ON | 2005/10/14 09:52 |
| S18<br>8 | 4              | (coscheduling or co?scheduling) with dynamic  | US-PGPUB;<br>USPAT;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB | OR | ON | 2005/10/14 09:52 |

| S18<br>9 | 3  | (inform\$3 or notif\$4 or broadcast or communicat\$3 or send\$3 or sent) with (cpu or processor) with ((incom\$3 adj job) or workload) with (interval or cycle or slot of period) and ((@ad<"20000630") or (@prad<"20000630")) or (@rlad<"20000630"))   | US-PGPUB;<br>USPAT;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB | OR | ON | 2005/10/14 09:52 |
|----------|----|---|---|----|----|------------------|
| S19<br>0 | 7  | (coscheduling or co?scheduling or (parallel near schedul\$3)) with dynamic  | US-PGPUB;<br>USPAT;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB | OR | ON | 2005/10/14 09:52 |
| S19<br>1 | 65 | parallel and (inform\$3 or notif\$4 or broadcast or communicat\$3 or send\$3 or sent) with (cpu or processor) with ((incom\$3 adj job) or workload) and ((@ad<"20000630") or (@prad<"20000630") or (@rlad<"20000630"))  | US-PGPUB;<br>USPAT;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB | OR | ON | 2005/10/14 13:11 |
| S19<br>2 | 56 | (parallel or multi\$processor or distributed) near2 (computing or scheduling or process\$4) same (interval or (time adj (slice or frame or period))) near5 (synchroniz\$6 or ((global dynamic implicit) adj schedul\$4 co\$1schedul\$4))  | US-PGPUB;<br>USPAT;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB | OR | ON | 2005/10/14 09:52 |
| S19<br>3 | 1  | (coscheduling or co?scheduling or<br>(parallel near schedul\$3)) with<br>(dynamic or implicit) and DCS  | US-PGPUB;<br>USPAT;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB | OR | ON | 2005/10/14 09:52 |
| S19<br>4 | 43 | (parallel or multi\$processor or distributed) near2 (computing or scheduling or process\$4) same (interval or (time adj (slice or frame or period))) near5 (synchroniz\$6 or ((global dynamic implicit) adj schedul\$4 co\$1schedul\$4)) and ((@ad<"20000630") or (@prad<"20000630") or (@rlad<"20000630")) | US-PGPUB;<br>USPAT;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB | OR | ON | 2005/10/14 09:52 |

| S19<br>5 | 1  | (parallel or multi\$processor or distributed) near2 (computing or scheduling or process\$4) same (interval or (time adj (slice or frame or period))) near5 (synchroniz\$6 or ((global dynamic implicit) adj schedul\$4 co\$1schedul\$4)) and workload and ((@ad<"20000630") or (@prad<"20000630") or (@rlad<"20000630")) | US-PGPUB;<br>USPAT;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB | OR | ON   | 2005/10/14 09:52 |
|----------|----|--|---|----|------|------------------|
| S19<br>6 | 17 | (parallel or multi\$processor or distributed) near2 (computing or scheduling or process\$4) with (control or command) near4 (interval or period or frame) with (buffer\$3 or accumulat\$3) and ((@ad<"20000630") or (@prad<"20000630") or (@rlad<"20000630"))  | US-PGPUB;<br>USPAT;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB | OR | ON   | 2005/10/14 09:52 |
| S19<br>7 | 2  | (coscheduling or co?scheduling or<br>(parallel near schedul\$3)) near3<br>(dynamic or implicit)  | US-PGPUB;<br>USPAT;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB | OR | ON   | 2005/10/14 09:52 |
| S19<br>8 | 3  | (parallel or multi\$processor or distributed) near2 (computing or scheduling or process\$4) and (coscheduling or co?scheduling) with (dynamic or implicit) and ((@ad<"20000630") or (@prad<"20000630") or (@rlad<"20000630"))  | US-PGPUB;<br>USPAT;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB | OR | ON   | 2005/10/14 09:52 |
| S19<br>9 | 6  | synchroniz\$4 near4 processors<br>same load near balanc\$3   | US-PGPUB;<br>USPAT;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB | OR | ON   | 2005/10/14 09:52 |
| S20<br>0 | 2  | systolic adj array with interval   | US-PGPUB;<br>USPAT;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB | OR | ON . | 2005/10/14 09:52 |
| S20<br>1 | 11 | systolic adj array same interval   | US-PGPUB;<br>USPAT;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB | OR | ON   | 2005/10/14 09:52 |